11.11







### Waste Management Site Licence

Licence No WML/0876

Licence Holder:

PJ Boughey, CP Boughey & LJ Boughey T/A CPL Skip Hire

Address:

Albert Street Failsworth Oldham

Site Tel No:


0161 681 9679

The Greater Manchester Waste Regulation Authority grants a Waste Management Licence under Section 36 of the Environmental Protection Act 1990 to PJ Boughey, CP Boughey & LJ Boughey T/A CPL Skip Hire authorising PJ Boughey, CP Boughey & LJ Boughey T/A CPL Skip Hire to treat/keep controlled waste namely Controlled Waste from Groups 1,2,3 & 4 of Annex B of this licence on land at Albert Street, Hollinwood, Oldham delineated on the site plan subject to payment of the annual fee defined by the fee code and the conditions.

THE FEE CODE:

T2E/c/3

### THE SITE PLAN WML/0876



LICENCE HOLDER: P J Boughey, C P Boughey & L J Boughey, T/A CPL
Skip Hire

SITE ADDRESS: Albert Street, Failsworth, Oldham, OL8 3QP

NGR: SD 9064 0213

Site Location

SCALE 1: 2500

Reproduced from the Ordnance Survey with the permission of the Controller of H M Stationery Officer Crown Copyright Reserved Licence No. LA 076260 For identification purposes only

### "The Conditions"

1. GENERAL CONSIDERATIONS	4
1.1. Permitted Waste Management Operations	4
1.2. Waste Types and Quantities	4
1.2.1. Waste types	4
1.2.2. Waste quantities	4
1.2.3. Waste input rates	4
1.2.4. Available storage capacity	4
1.2.5. Maximum Duration of Storage	7
1.3. Hours of Operation	4
1.4. Commencement of Operations	4
1.5. Manning and Management	5
1.5.1. Organisational Chart	5 5
1.5.2. Management Systems	5
1.5.3. Management and Supervision of Waste Operations	5
1.5.4. Technical Competence 1.5.5. Contact Details	5
1.5.5. Contact Details	
1.6. Working Plan	5
1.6.1. Current Issue of the Working Plan	5
1.6.2. Variations to the Working Plan	5
1.6.3. Review of the Working Plan:	6
1.7. Emergency Procedures	6
1.7.1. Emergency plan	6
1.7.2. Training in emergency procedures	6
1.7.3. Copy of emergency procedures	6
2. SITE INFRASTRUCTURE	7
2.1. Ancillary Facilities	7
2.1.1. Site Office	7
2.1.2. Site Identification Board	7
2.1.3. Site Security & Access	7
2.1.4. Fuel Storage Tanks	7
2.2. Operational Areas	7
2.2.1. Site Surface	7
2.2.2. Storage Bays	8
2.2.3. Quarantine Storage	
3, CONTROL OF WASTE MANAGEMENT OPERATIONS	9
3.1. Sampling and Analysis of Wastes - General	9
3.1.1. Routine Sampling and Analyses	9
3.1.2. Sampling by or on behalf of the Waste Regulation Authority	Ò
3.2. Incoming and Outgoing Wastes	g
3.2.1. Waste Quantities	Ğ
TS1r2 WML/0876	1

3.2.2. Checking of Wastes 3.2.3. Recording of Incoming Wastes	9 9
3.3. Storage and Sorting of Wastes	9
3.4. Storage Height of Waste	9
3.5. Cleaning of bays	9
3.6.1. Rejection of Incoming Non-Permitted Wastes 3.6.2. Quarantine Storage of Non-Permitted Wastes 3.6.3. Storage of Asbestos Waste 3.6.4. Sampling of Non-Permitted Wastes 3.6.5. Removal of Non-Permitted Wastes	10 10 10 10 10
3.7. Products and By-Products of Waste Treatment	10
3.8. Site Operations	10
3.9. Process Control	10
3.10. Breakdown of machinery/Temporary Cessation of Operations	11
3.11. Spillages	11
3.12. Maintenance 3.12.1. Maintenance of Site Infrastructure 3.12.2. Maintenance of Plant and Equipment	11 11
4. ENVIRONMENTAL CONTROLS	12
4.1. Control of Liquids Arising	12
4.2. Fires	12
4.3. Noise	12
4.4. Odours	12
4.5. Suppression of Dust	12
4.6. Cleanliness of Vehicles	12
4.7. Mud on Roads	12
4.8. Litter	12
4.9. Vermin and Pests	12
5. ENVIRONMENTAL MONITORING	13
5.1. Monitoring of Aerial Emissions	13
5.2. Monitoring of Land	13
SITE RECORDS	14
6.1. Site Records	14

6.2. Review of Site Records	15
6.3. Retention and Inspection of Records 6.3.1. Retention of Records 6.3.2. Inspection of Records	15 15 15
7. ANNEX A: WASTE MANAGEMENT OPERATIONS PERMITTED BY THIS LICENCE	16
8. ANNEX B: PERMITTED WASTE TYPES	17
9. ANNEX C: CONTAMINATION CLASSES A TO E - LIMITS OF RANGES FOR CONTAMINATION LEVELS FOR SOILS AND OTHER WASTES	24
10. ANNEX D: WASTE RECORDS - INCOMING AND OUTGOING	26
11. ANNEX E: SITE RECORDS - FORMATS	27

₹

### 1. General Considerations

### 1.1. Permitted Waste Management Operations

Permitted waste management operations on the site shall consist only of the operations specified in Annex A to this licence, subject to the limitations on types of waste, maximum storage capacities and maximum storage durations specified in that annex and the following conditions.

### 1.2. Waste Types and Quantities

### 1.2.1. Waste types

Only those types of waste specified as permitted in Annex B shall be received on the site.

### 1.2.2. Waste quantities

The maximum quantities of each waste type which may be kept on the site at any one time shall be determined by the upper limitations on storage capacity for wastes as specified in Annex A.

### 1.2.3. Waste input rates

The maximum rates at which waste shall be received at the site shall be as follows:

Weekly maximum:

1200 tonnes/week

with a daily maximum of:

200 tonnes/day,

subject to the available storage capacity.

### 1.2.4. Available storage capacity

Waste shall not be received at the site at any time unless:

there is sufficient storage capacity available for that type and quantity of waste to allow it to be received without exceeding the maximum storage capacity specified in Annex A;

there is sufficient storage capacity in the dedicated quarantine storage area to allow any non-permitted or non-conforming wastes which may be detected following receipt to be safely kept in accordance with the other conditions of this licence.

### 1.2.5. Maximum Duration of Storage

The maximum duration of storage for wastes on the site shall be as specified in Annex A.

### 1.3. Hours of Operation

The site shall be permitted to be open for the receipt, storage, treatment and despatch of waste only during the hours specified in the following table:

<del></del>	RECEIPT	STORAGE	TREATMENT	DESPATCH
Monday to Friday	07.30 - 17.30	24 hour operation	07.30 - 17.30	07.30 - 17.30
Saturday	08.00 - 13.00	24 hour operation	08.00 - 13.00	08.00 - 13.00
Sunday	No Operations	24 hour operation	No Operations	No Operations
Bank Holidays	No Operations	24 hour operation	No Operations	No Operations
Other Public	No Operations	24 hour operation	No Operations	No Operations
Holidays				

### 1.4. Commencement of Operations

No waste shall be received at the site until the site infrastructure, facilities and management systems provided in accordance with these licence conditions have been inspected by the Waste Regulation Authority and written agreement has been given to the licence holder by the Waste Regulation Authority that these conform to the requirements of the other conditions of this licence and that waste management operations may commence.

### 1.5. Manning and Management

### 1.5.1. Organisational Chart

The licence holder shall provide to the Waste Regulation Authority an organisational chart which clearly shows the names of the managers responsible for each aspect of the site operations, and the level and type of relevant qualification and details of any relevant convictions of each Technically Competent Manager. This chart shall be amended and the amended chart submitted to the Waste Regulation Authority within one week of any changes in the details shown.

### 1.5.2. Management Systems

The licence holder shall ensure that the waste management operations permitted by these licence conditions and the activities required by these licence conditions to be carried out by or on behalf of the licence holder, are each carried out under a documented management system. Each such management system shall ensure that the operations and activities it covers meet, as a minimum, the requirements and standards specified in the other conditions of this licence. Such systems shall ensure that any written records required by the other conditions of this licence are accurate, reliable and up to date.

### 1.5.3. Management and Supervision of Waste Operations

No waste shall be received at, stored in, treated at or despatched from the site or any area, plant or facility constituting part of the site unless there are designated responsible managers and operating staff trained and experienced in the tasks required to ensure that the conditions of this licence relevant to those tasks are fulfilled.

### 1.5.4. Technical Competence

The level of technical competence required for management of the site shall be the relevant WAMITAB (The Waste Management & Industry Training Advisory Board) certificate for Managing Transfer Operations: (Level 4), or a recognised equivalent qualification.

### 1.5.5. Contact Details

The licence holder shall provide in writing to the Waste Regulation Authority the name, address and telephone number of a responsible person for contact in the event of an emergency arising in connection with the facility, both during and outside normal operating hours. Any change in these details shall be notified in writing to the Waste Regulation Authority within one working day of the change taking place.

### 1.6. Working Plan

### 1.6.1. Current Issue of the Working Plan

The current issue of the working plan shall consist of the working plan as submitted to the Waste Regulation Authority as part of the application and as at the date of issue of this licence, plus any subsequent variations that have been made in accordance with Condition 1.6.2. The management and operation of the site shall be carried out in accordance with the working plan, except where any element of the working plan contradicts or is otherwise inconsistent with the conditions of this licence, in which case the licence conditions shall prevail.

### 1.6.2. Variations to the Working Plan

Any proposed variation to the current issue of the Working Plan shall be notified to the Waste Regulation Authority, and the variation shall only be implemented, in accordance with the procedures specified in the following table for changes of Type A or Type B:

Working plan change type	Notification to Waste Regulation Authority	Implementation of variation
Type A	Not more than 5 working days after changes have been made	As change is incorporated
Type B	Not less than I calendar month before proposed changes are to be made unless otherwise agreed in writing with the Waste Regulation Authority.	Not until written consent to the proposed change has been given by the Waste Regulation Authority

The type of change applicable to each element of the working plan shall be as specified in the following table:

ELEMENTS OF WORKING PLAN COVERING THE FOLLOWING ASPECTS:	WORKING PLAN CHANGE TYPE
Site infrastructure	В
Environmental controls	В
Environmental monitoring schemes	В
Emergency procedures	Α
Scale Drawings (proposed works)	A
As-built drawings (if different from proposed)	A
All other aspects	Α

### 1.6.3. Review of the Working Plan:

The Working Plan shall be reviewed by the licence holder at least once per year from the date of issue of this licence, or as otherwise requested in writing by the Waste Regulation Authority. Such review shall take account of the adequacy of operational practices and methods and environmental monitoring and control in ensuring that the standards and objectives of the licence conditions are met. A copy of the results of the review and of any resulting proposed variations to the Working Plan shall be provided to the Waste Regulation Authority within one calendar month following the review.

### 1.7. Emergency Procedures

### 1.7.1. Emergency plan

No waste shall be received on the site unless there is an emergency plan for the site. This plan shall incorporate written emergency procedures which specify the actions to be taken by designated managers and site operatives to protect the environment and public safety if a fire or other event which is liable to cause either pollution of the environment, harm to human health or serious detriment to the amenities of the locality occurs on the site.

### 1.7.2. Training in emergency procedures

The licence holder shall ensure that all site managers and site operatives receive regular training in the emergency procedures, and that the emergency procedures are reviewed on a regular basis not less than once per year.

### 1.7.3. Copy of emergency procedures

The licence holder shall submit a written copy of the current emergency procedures to the Waste Regulation Authority within 5 working days of their being issued.

### 2. Site Infrastructure

### 2.1. Ancillary Facilities

### 2.1.1. Site Office

A site office shall be provided and shall be adequately equipped, manned and maintained to allow the requirements of the conditions of this licence to be routinely carried out.

### 2.1.2. Site Identification Board

A site identification board of durable material and finish shall be prominently displayed at the site entrance showing the hours when the site is open and giving the name and Waste Management Licence Number of the site, the name, work address and work telephone number of the operator (and, where appropriate, his local agent) an emergency out of hours contact number and the name of the Waste Regulation Authority responsible for issuing the site licence.

A board shall be displayed before or adjacent to the site office which includes a prominent instruction to incoming drivers to report at the site office in order to have their loads checked prior to deposit.

Both boards specified above shall be checked at the start of each working day. In the event of loss of or damage to either of the boards, then it shall be repaired or replaced within two working days of such loss or damage being detected.

### 2.1.3. Site Security & Access

Site security as specified in the following table shall be provided and shall be inspected each working day, and any damage or holes repaired within one working day (24 hours) of being detected. Site access for incoming and outgoing waste shall be only via the gates specified in the table, which shall be locked out of working hours other than in an emergency situation, and in any case whenever the site is not manned.

SECURITY PROVISION	SPECIFICATION	LOCATION
WALL/FENCE	2 metres minimum height	Site Perimeter
GATES	2 metres minimum height Lockable	Access from Albert Street

### 2.1.4. Fuel Storage Tanks

All fuel stored on the site otherwise than in vehicle fuel tanks shall be contained in a bunded tank or tanks. The bund for this tank shall be impervious and shall provide containment for at least 110% of the maximum volume of the tank. The tank valves shall be located within the bund. All valves associated with the draining of the bund shall be locked at all times other than when the bund is being drained.

### 2.2. Operational Areas

### 2.2.1. Site Surface

All areas of the site where waste is received, stored, treated or despatched shall be provided with a suitable robust and impervious surface. Any joints in this surfacing shall be sealed so as to render them impervious. All such surfacing shall be laid with appropriate falls and shall be provided with a perimeter bund or kerb so as to ensure that all water run-off from those areas of the site where waste is handled or stored shall be directed to foul sewer via appropriate drainage as specified below:

All areas of the site where waste is received, stored, treated or despatched shall be provided with a water drainage, collection and discharge system incorporating a suitable interceptor or catchpit prior to discharge. This drainage system shall be capable of draining all water which may reasonably be expected to arise within the area. For external areas of the site used for the handling or storage of waste, drainage shall be installed to specifications approved by North West Water Plc, or their local agent.

### 2.2.2. Storage Bays

Storage bays shall be provided as specified in Annex A

All storage bays shall be constructed with rigid, solid walls. The base of each bay shall be constructed of concrete which shall be laid such that all surface water drains to the site drainage system. All bays shall be marked with a conspicuous line of a contrasting colour to show the maximum height of waste that can be stored within the bay at its maximum permitted capacity.

Bay walls and concrete floors shall be inspected weekly for any cracks or holes that have developed such faults shall be repaired within one month. The location and purpose of such bays shall be as shown on the site layout plan WML/0876/P1.

### 2.2.3. Quarantine Storage

A dedicated quarantine storage area shall be provided as specified in Annex A for non-permitted and non-conforming wastes which are received on the site. This area shall be provided with a containment bund and segregated drainage. The area shall be clearly labelled and all site operators made aware of the purpose of this area.

### 3. Control of Waste Management Operations

### 3.1. Sampling and Analysis of Wastes - General

### 3.1.1. Routine Sampling and Analyses

- (a) All analyses of waste materials and of other samples carried out in accordance with the other conditions of this licence shall be carried out by an independent NAMAS-accredited laboratory or equivalent, unless otherwise agreed in writing with the Waste Regulation Authority.
- (b) Routine sampling of wastes and other materials shall be carried out by the operator in such a manner as to identify the true nature of the wastes being handled and any hazards associated so as to fulfil the requirements of the Duty of Care and any other relevant conditions of this licence.

### 3.1.2. Sampling by or on behalf of the Waste Regulation Authority

Samples of any waste entering the site or undergoing disposal on the site and samples of any gaseous, liquid or particulate emissions from the site shall be taken by or under the direction of the Waste Regulation Authority, as and when required by the Waste Regulation Authority. The operator shall provide any reasonable assistance in the form of site personnel and/or equipment to the Waste Regulation Officers on request, to enable such samples to be obtained.

### 3.2. Incoming and Outgoing Wastes

### 3.2.1. Waste Quantities

The Licence Holder shall ensure that records are kept of the quantities of all wastes entering and leaving the site.

### 3.2.2. Checking of Wastes

All incoming wastes shall be checked before being received and recorded, to ensure their visual conformance with the written description of the waste given in the relevant Controlled Waste Transfer Note.

All wastes deposited at the site shall be checked immediately following deposit and during sorting, segregation and storage, to ensure their continued suitability for waste management operations at the site and for final disposal at the destination site.

### 3.2.3. Recording of Incoming Wastes

All incoming wastes shall be recorded on receipt at the site. The record shall include the information specified in Annex D.

### 3.3. Storage and Sorting of Wastes

Waste types shall be placed within the appropriate bay in accordance with the attached site layout plan WML/0876/P1. Under no circumstances shall non compatible waste types be stored within the same bay.

### 3.4. Storage Height of Waste

No waste shall be stored above a height of 2.0m.

### 3.5. Cleaning of bays

Bays shall be cleared of waste and thoroughly cleaned every four weeks. All contaminated water arising shall be directed to the site drainage system or shall be removed from the site to an appropriately licensed disposal facility.

### 3.6. Non-permitted Wastes

### 3.6.1. Rejection of Incoming Non-Permitted Wastes

Any incoming wastes which are found either to not conform to the requirements of the other conditions of this licence or to not conform with the written description and analysis of the waste given in the relevant Controlled Waste Transfer Note shall be turned away from the site immediately. Each such incident shall be recorded in the waste control records required under the other conditions of this licence.

### 3.6.2. Quarantine Storage of Non-Permitted Wastes

Where non-permitted or non-conforming wastes are detected following receipt at the site, those waste materials shall immediately be placed into a designated quarantine storage area, where they shall be kept in accordance with the other relevant conditions of this licence. All such wastes in quarantine storage shall be kept in separate leak-proof containers segregated from other wastes either within or outside the designated quarantine storage area until their nature and potential hazards have been identified, and shall thereafter be kept only with compatible waste types until safely disposed of.

### 3.6.3. Storage of Asbestos Waste

Asbestos waste shall only be permitted as an inherent component of mixed wastes and shall not exceed 0.5% w/w of the mixture. Notwithstanding this, where asbestos wastes are not inherently mixed with other permitted waste types, and are inadvertently accepted to the site, they shall be double sealed in red plastic bags and placed in the dedicated asbestos skip pending removal to a suitably licensed site.

### 3.6.4. Sampling of Non-Permitted Wastes

Each non-permitted or non-conforming waste material shall be placed immediately into quarantine storage and analysed as soon as practicable to identify its physical nature and chemical composition, and any hazards associated with the further storage, handling and removal of such wastes. The results of each analysis shall be obtained as soon as practicable, and in any case within 14 days of the relevant sample being taken. The licence holder shall inform the Waste Regulation Authority as soon as practicable of the receipt of such non-permitted or non-conforming wastes, and of the results of the relevant analyses.

### 3.6.5. Removal of Non-Permitted Wastes

Each non-permitted or non-conforming waste material shall be despatched to a suitably licensed site within 5 days of the results of the relevant analysis being received, unless otherwise agreed in writing by the Waste Regulation Authority.

### 3.7. Products and By-Products of Waste Treatment

Each product and by-product of waste storage and treatment operations on the site shall be regarded as waste and handled in accordance with the other conditions of this licence unless and until the licence holder has demonstrated that:

- (i) that particular item of waste has been reclaimed to achieve a pre-defined specification as a useable raw material for a specified use; and
- (ii) the reclamation of that type and quantity of waste has been recorded on the record of outgoing wastes.

### 3.8. Site Operations

An appropriate level of machinery, plant and equipment shall be provided to ensure that all incoming waste is dealt with in accordance with the conditions of this licence. The machinery, plant and equipment shall be specified in the Working Plan, and operational instructions for the machinery, plant and equipment shall be kept in the site office.

### 3.9. Process Control

All staff shall be fully aware of operating procedures for all plant and machinery which they are required to operate, together with general operational procedures, within their level of responsibility and where appropriate their level of Technical Competence as defined by WAMITAB, (The Waste Management & Industry Training Advisory Board).

### 3.10. Breakdown of machinery/Temporary Cessation of Operations

In the event of any breakdown in such machinery or equipment which results in either waste or surface water drainage arisings not being dealt with in accordance with the conditions of this licence, the site shall be closed until such time as the defective items are repaired or replaced, unless otherwise authorised by the Waste Regulation Authority.

All temporary cessations of operations which require the transfer or diversion of waste at the facility to facilities elsewhere shall be notified in writing forthwith to the Waste Regulation Authority.

### 3.11. Spillages

Within 1 month of the date of issue of this licence, a spillage control procedure shall be formulated and agreed in writing with the Waste Regulation Authority. Following agreement, this procedure shall be written into the Working Plan. This shall specify the steps which will be taken in this eventuality to mitigate the effects of the spill and to prevent further contamination. This Authority should be notified as soon as practicable along with the National Rivers Authority if there is any threat to surface watercourses or to groundwater.

Absorbent materials and any other equipment necessary shall be available at all times.

### 3.12. Maintenance

### 3.12.1. Maintenance of Site Infrastructure

All buildings and other items of site infrastructure provided in accordance with the other conditions of this licence shall be maintained at all times in a state of good repair, and shall be checked weekly and all necessary maintenance carried out at the earliest opportunity. The markings used to delineate the maximum capacity of the storage areas shall remain clearly visible at all times.

### 3.12.2. Maintenance of Plant and Equipment

All plant and equipment provided in order to meet the requirements of these licence conditions shall be periodically tested, maintained and calibrated in accordance with the manufacturers' recommendations, or in such better manner or at such greater frequency as operational experience may show to be appropriate.

### 4. Environmental Controls

### 4.1. Control of Liquids Arising

All liquids arising within the operational area of the site, shall be contained within the drainage system until either removed from the site for disposal at a suitably licensed site, or discharged to sewer under written consent issued by North West Water Plc. A copy of any such consent shall be submitted to the Waste Regulation Authority prior to waste being accepted on the site.

### 4.2. Fires

No waste material shall be burnt within the boundaries of the site. Any fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All such outbreaks of fire shall be notified forthwith to the Waste Regulation Authority, and shall be recorded in the site diary.

### 4.3. Noise

All plant used on the site shall be fitted with silencing equipment so as to prevent excessive noise levels at the site boundary.

### 4.4. Odours

Malodorous wastes shall where reasonably practicable be kept within sealed containers while on the site, except when undergoing treatment or being used in a treatment process. These sealed containers are only otherwise to be opened for the immediate purposes of inspection of the contents. Deodorisers must be used at all times when malodorous waste, which is not in sealed containers, is being handled.

### 4.5. Suppression of Dust

Dust emissions from the site surface or from waste or other materials on the site shall be prevented and suppressed by use of appropriate dust suppression equipment.

### 4.6. Cleanliness of Vehicles

All vehicles leaving the site or access roads between the highway and the site shall be checked to ensure that they do not foul the highway with waste, mud or other material, and shall be cleaned using appropriate wheel cleaning equipment. A specification of this equipment shall be submitted to the Waste Regulation Authority prior to installation.

### 4.7. Mud on Roads

The surface of the public highway adjacent to the access to the site shall be cleaned whenever dust, dirt or mud from the site is found on the road surface, so that all such material is removed.

### 4.8. Litter

The site shall be checked and cleared of litter daily and any litter which has migrated beyond the site boundary will be collected immediately.

### 4.9. Vermin and Pests

The site shall be checked regularly and not less than once per week for the presence of vermin or other pests, and measures taken as specified in the working plan to eliminate any such vermin or pests which are detected.

### 5. Environmental Monitoring

### 5.1. Monitoring of Aerial Emissions

Aerial emissions from the site shall be monitored at all times when the site is operational. In addition, the responsible person shall produce records of such monitoring as specified in the following table:

DETERMINANDS	PERMITTED LIMITS	MONITORING FREQUENCY	RESPONSIBLE PERSON
Visible emissions	There shall be no visible emissions from the storage areas.	Twice per shift, during waste handling operations.	Person with normal or corrected vision
Offensive smells or other strong odours	There shall be no offensive smells or other strong odours released from the waste storage and handling areas detectable outside the boundaries of the site.	Twice per shift, during waste handling operations.	Site manager or supervisor

Weather conditions shall be monitored on a daily basis for each operational day.

### 5.2. Monitoring of Land

Within 3 months of the date of issue of this licence the licence holder shall submit a site investigation report by a suitably qualified environmental consultant to the Waste Regulation Authority. This report shall address the following areas:

- a) detailed definition of the environment of the site including past use/history of the site,
- b) the amount and type of any contamination present before waste management operations begin, and
- c) the location and description of any sensitive amenity within the vicinity of the site.

Within 4 months of the date of issue of this licence, a proposed environmental regime shall be submitted in writing to the Waste Regulation Authority. Where the Waste Regulation Authority requests further information, all such information shall be submitted in writing to the Waste Regulation Authority within 2 months of that request being made, unless otherwise agreed in writing with the Waste Regulation Authority.

All environmental monitoring proposals shall be implemented immediately upon receipt of written agreement from the Waste Regulation Authority.

A report detailing the results of the agreed environmental monitoring scheme and including an interpretation and summary of those results shall be submitted to the Waste Regulation Authority by 31 March each year covering the previous year from 1 January to 31 December.

### 6. Site RecordsSite Records

Site records shall be kept, and a copy of the records shall be submitted to the Waste Regulation Authority in writing, as specified in the following table:

SITE RECORD	DETAILS	RECORD FORMAT	SUBMISSION TO Waste
			Regulation Authority
Wastes Received	As specified in Annex D.	As specified in the working plan.	On written request
Exports of waste and reclaimed materials	As specified in Annex D.	As specified in the working plan.	On written request
Waste rejected	As specified in Annex D.	As specified in the working plan.	On written request
Waste summary	As specified in Annex D. Unit: Tonnes/week.	As specified in Annex E.	SEND TO Waste Regulation Authority MONTHLY, WITHIN 7 DAYS FOLLOWING END OF CALENDAR MONTH.
Technically Competent/deemed Technically Competent Manager	Name, and, where applicable, qualifications	As specified in Annex E	As Annex E, or any changes to be notified in accordance with Condition 1.5.1
Aerial monitoring	As specified in Annex E	As specified in Annex E.	On written request.
Site diary/logbook	Site manager(s) and staff on- site. Abnormal events, e.g. fires. Reviews of records and actions taken. Pest control visits. Road cleaning.	To be agreed in writing with the Waste Regulation Authority within 1 month of the date of issue of this licence.	On written request.
Visitors book	Visitors to site.	To be agreed in writing with the Waste Regulation Authority within 1 month of the date of issue of this licence.	On written request.
Site inspections book	Copies of Waste Regulation Authority site inspection reports.	To be agreed in writing with the Waste Regulation Authority within I month of the date of issue of this licence.	On written request.
Complaints book	For each complaint: Date and time of complaint. Name, address and telephone number of complainant (if given). Nature of complaint. Action taken, including follow-up actions.	To be agreed in writing with the Waste Regulation Authority within 1 month of the date of issue of this licence.	On written request.
Maintenance records	All periodic tests, maintenance and calibration procedures carried out, including details of any defects or failures detected, and the actions taken to remedy each such defect or failure.	To be agreed in writing with the Waste Regulation Authority within 1 month of the date of issue of this licence.	On written request.

### 6.2. Review of Site Records

All site records required by these licence conditions shall be regularly reviewed by the site manager, not less than once per week, and the appropriate actions taken. The site manager shall sign and date the records on each review, and shall note the review and any actions taken in the site diary.

### 6.3. Retention and Inspection of Records

### 6.3.1. Retention of Records

All site records required to be kept under the conditions of this licence shall be securely kept at the site office. Records may, if required, be transferred to a named location for storage after a period of 1 calendar month. These records shall be kept for the duration of the site licence unless otherwise authorised in writing by the Waste Regulation Authority.

### 6.3.2. Inspection of Records

All records shall be made available to any authorised representative of the Waste Regulation Authority for inspection on request at any time the site is open.

# WASTE MANAGEMENT OPERATIONS PERMITTED BY THIS LICENCE ANNEX A:

7.

Waste Management	Types of Waste	Area or Facility	Plan no.	Capacity	Maximum duration of Storage
Operation or Process		Designation	and Location		
Keeping and/or	Permitted Wastes	Waste Storage	WML/0876/P1	388 yd³ maximum	e Wastes :
TreatingWaste	Groups 1,2 & 3	Bays		Bay A 224 yd <sup>3</sup>	Other wastes : 7 working days
)				Bay B 144 yd <sup>3</sup>	
	Scrap Metal	Dedicated	WML/0876/P1	3 x 14 cu yd	3 Calendar Months
		Containers		Containers	
	Asbestos	Dedicated	WML/0876/P1	1 x 14 cu yd	1 Calendar Month
		Lockable Skip		Container	
	Soil	Dedicated Bay	WML/0876/P1	Bay C 144 yd <sup>3</sup>	
	Hardcore	Dedicated Bay	WML/0876/P1	Bay D 144 yd	
Keeping Waste	Non-permitted or	Quarantine storage	WML/0876/P1	10ft x 15ft	19 working days
	non-conforming wastes	pnnded		Storage area	
		unacceptable waste			
		store			

# 8. ANNEX B: PERMITTED WASTE TYPES

MAXIMUM TOTAL INPUT OF ALL PERMITTED WASTES FROM FOLLOWING GROUPS 1, 2, 3 AND 4 TO SITE IS NOT TO EXCEED:

- (a) 200 TONNES/DAY
- (b) 1200 TONNES/WEEK

### NOTES:

Major components of mixed wastes from Groups 1 to 5 must be identified, and must all be permitted waste types and within permitted

quantities for those waste types.

(2) CONTAMINATION:

(1) MIXED WASTES:

(3) CONTAMINANTS:

Contamination of any material or product occurs when it is either rendered not suitable for the purpose for which it was obtained or produced, or determined to be off-specification for its original intended purpose, due to the presence of foreign chemicals or substances.

Contaminants are chemicals or substances which, by their introduction into or presence in a material or product, render that material or product either off-specification or unsuitable for the purpose for which it was originally produced.

### (4) CONTAMINATED SOILS AND OTHER WASTES:

Annex C lists specified contaminants against which soils and other wastes can be assessed and classified according to 5 'Contamination Classes'. (See also the Notes to Annex C.) The maximum levels in soils and other wastes of specified contaminants that are permitted on this site are given in the following Groups 1 to 5.

the soil or other waste is permitted and, if permitted, what quantity is permitted, the soil or other waste type should be considered in terms of the worstcase contaminating chemical, and classed as that specific waste type in Group 5. The presence in significant quantities of a For contaminants which are detected but not specified, or which are over the maximum permitted level specified, then to determine whether specifically non-permitted substance as a contaminant will render the soil or other waste type non-permitted.

# Annex B Continued.....Permitted Waste Types

Group 1

The maximum permitted contamination levels for waste types in this Group of those contaminants specified in Annex C are the maximum levels for Contamination Class A. Contamination levels:

The waste types permitted from Group 1 are as follows:-

Group I Waste Types	Code	Permitted or Not Permitted	Conditions/Comments
(Solids only permitted)			
Mixed permitted waste types from Group 1 only	1.1	PERMITTED	
Soil	1.2	PERMITTED	
Rubble, Hardcore, Stone, Brickwork	1.3	PERMITTED	
Concrete	1.4	PERMITTED	
Weathered Tar/Bitumen Aggregate	1.5	PERMITTED	
Slag/Ash/Clinker (except incinerator residue)	1.6	PERMITTED	
Clay	1.7	PERMITTED	
Sand (Except Foundry Sand or where used as filter	8.1	PERMITTED	
material)			
Carbon, Kieselguhr (Except where used as filter material)	1.9	NOT PERMITTED	
Glass, Pottery, China, Fired Enamels, Ceramics, Mica	1,10	PERMITTED	
Boiler Scale	1.11	NOT PERMITTED	
Mineral Processing Wastes	1.12	NOT PERMITTED	

# Annex B Continued.....Permitted Waste Types

### Group 2

The maximum permitted contamination levels for waste types in this Group of those contaminants specified in Annex C are the maximum levels for Contamination Class B. Contamination levels:

The waste types permitted from Group 2 are as follows:-

Group 2 Waste Types (Solids only permitted)	Code	Permitted or Not Permitted	Conditions/Comments
Mixed permitted waste types from Group 2 only	2.1	PERMITTED	Includes rubble/hardcore containing permitted waste types from Groups 1 and/or 2.
Mixed permitted waste types from Group 1 and 2	2.2	PERMITTED	Includes rubble/hardcore containing permitted waste types from Groups 1 and/or 2.
Wood and Wood Products - Treated	2.3	PERMITTED	
Wood and Wood Products - Untreated (other than	2.4	PERMITTED	
vegetation)		Comment and	
Vegetation (Trees, Bushes, Tree/Hedge Cuttings, etc.)	2.5	PEKMITED	
Paper and Paper Products, Including Oiled/Tarred Paper and Cardboard	2.6	PERMITTED	
Plastic	2.7	PERMITTED	
Tanned Leather	2.8	PERMITTED	
Textiles/Fibres - Natural Or Man-Made	2.9	PERMITTED	
Cement (except as constituent of brickwork or concrete)	2.10	PERMITTED	
Fibreglass and resin-reinforced glass fibre products	2.11	PERMITTED	

# Annex B Continued.....Permitted Waste Types

### Group 3

The maximum permitted contamination levels for waste types in this Group of those contaminants specified in Annex B are the maximum levels for Contamination Class C. Contamination levels:

The waste types permitted from Group 3 are as follows:-  $\underline{\mathbf{0}}$ 

Group 3 Waste Types	Code	Permitted or Not Permitted	Conditions/Comments
(Solids only permitted)		A SECURITY OF THE PROPERTY OF	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Mixed permitted waste types from Group 3 only	3.1	PERMITTED	Includes rubbie/nardcore containing perimited waste specification 3.
Mixed permitted waste types from Group 1 and/or Group 2 and/or Group	3.2	PERMITTED	Includes rubble/hardcore containing permitted waste types from Groups 1, 2 & 3
Household Refuse in skips - Treated or Untreated	3.3a	PERMITTED	
Household Refuse other than in skips - Treated or Untreated	3.3b	NOT PERMITTED	
Empty used containers (Constructed of Metal, Glass, Plastic, Paper,	3.4	PERMITTED	
Cardboard, Wood, etc.)			
Scrap Metal/Machinery/Equipment - Ferrous	3.5	PERMITTED	
Scrap Metal/Machinery/Equipment - Non-Ferrous	3.6	PERMITTED	
Electrical Fittings/Fixures/Appliances	3.7	PERMITTED	
Vegetable matter (other than Trees, Bushes, Tree/Hedge Clippings)	3.8	NOT PERMITTED	
Waste Food or Food Processing Materials	3.9	NOT PERMITTED	
Animal Carcasses or parts thereof	3.10	NOT PERMITTED	
Rubber (including tyres)	3.11	NOT PERMITTED	
Cost	3.12	NOT PERMITTED	
Deterority	3.13	NOT PERMITTED	
Cosmetic products - retail only	3.14	NOT PERMITTED	
Der Kennera Cludas	3.15	NOT PERMITTED	
Liy sewage situage	3.16	NOT PERMITTED	
Incherator residue	3.17	NOT PERMITTED	
Foundry Sand		Catalyland	
Fibreglass	3.18	LEKMITIE	
Plaster, gypsum	3.19	PERMITTED	
Plasterboard	3.20	PERMITTED	

# Annex B Continued.....Permitted Waste Types

### Group 4

The maximum permitted contamination levels for waste types in this Group of those contaminants specified in Annex C are the maximum levels for Contamination Class C. Contamination levels:

The waste types permitted from Group 4 are as follows:-

Group 4 Waste Types	Code	Permitted or Not Permitted	Conditions/Comments
(Solids only permitted)			
Mixed permitted waste types from Group 4 only	4.1	NOT PERMITTED	
Mixed permitted waste types from Group 1 and/or Group	4.2	PERMITTED	Asbestos wastes must be an inherent component of mixed wastes and must not exceed 0.5% w/w of mixture.
2 and/or Group 3 and Group 4			
Asbestos Lagging - All Forms	4.3	NOT PERMITTED	
Ashestos Fibre/Powder	4.4	NOT PERMITTED	
Ashestos Sheet/Piping, Composite/Bonded	4.5	PERMITTED	Refer to condition 3.6.3.
,,,			

### Annex B Continued.....Permitted Waste Types

Group 5

WASTE TYPES FROM THIS GROUP SHALL NOT BE DEPOSITED ON THE SITE

Group 5 Waste Types	Code	Permitted or Not Permitted
MIXED PERMITTED WASTE TYPES FROM GROUP 5 ONLY	5.1.	NOT PERMITTED
MIXED PERMITTED WASTE TITES FROM GROUP 1 AND/OR	5.2	NOT PERMITTED
GROUP 2 AND/OR GROUP 3 AND/OR GROUP 4 AND GROUP 5		
INORGANIC ACIDS: pH < 3.0	5.3	NOT PERMITTED
ORGANIC ACIDS AND RELATED COMPOUNDS: pH < 3.0	5.4	NOT PERMITTED
ALKALIS:		
pH > 12.0	5.5.1	NOT PERMITTED
pH < 12.0, as follows:	<del> </del>	NOT PERMITTED
Hydroxides of Sodium, Potassium or Calcium	5.5.2	NOT PERMITTED
Oxides of Sodium, Potassium or Calcium	5.5.3	NOT PERMITTED
Carbonates of Sodium, Potassium or Calcium	5.5.4	NOT PERMITTED
Ammonia	5.5.5	NOT PERMITTED
Proprietary Alkaline Cleaners	5.5.7	NOT PERMITTED
Alkali Metal Phosphates	5.5.8	NOT PERMITTED
Other Alkalis	0,0,0	NOTIZIANTIZZ
METALS AND INORGANIC METAL COMPOUNDS (EXCEPT WHERE SPECIFICALLY ADDRESSED UNDER OTHER WASTE TYPES IN GROUPS 1 TO 5) (AS FOLLOWS):		
Aluminium Compounds	5.6.1	NOT PERMITTED
Barium and Barium Compounds	5.6.2	NOT PERMITTED
Beryllium and Beryllium Compounds	5,6.3	NOT PERMITTED
Boron and Boron Compounds	5.6.4	NOT PERMITTED
Cadmium and Cadmium Compounds	5.6.5	NOT PERMITTED
Calcium and Calcium Compounds	5.6.6	NOT PERMITTED
Chromium and Chromium Compounds	5.6.7	NOT PERMITTED
Cobalt and Cobalt Compounds	5.6.8	NOT PERMITTED
Copper and Copper Compounds	5.6.9	NOT PERMITTED
Iron and Iron Compounds	5.6.10	NOT PERMITTED
Lead and Lead Compounds	5.6.11	NOT PERMITTED  NOT PERMITTED
Magnesium and Magnesium Compounds	5.6.12	NOT PERMITTED
Manganese and Manganese Compounds	5.6.13	NOT PERMITTED
Mercury and Mercury Compounds	5.6.15	NOT PERMITTED
Molybdenum and Molybdenum Compounds	5.6.16	NOT PERMITTED
Nickel and Nickel Compounds	5.6.17	NOT PERMITTED
Osmium and Osmium Compounds Phosphorus and Phosphorus Compounds	5.6.18	NOT PERMITTED
Potassium and Potassium Compounds	5.6.19	NOT PERMITTED
Silver and Silver Compounds	5.4.20	NOT PERMITTED
Sodium and Sodium Compounds	5.6.21	NOT PERMITTED
Thallium and Thallium Compounds	5.6.22	NOT PERMITTED
Tin and Tin Compounds	5.6.23	NOT PERMITTED
Titanium and Titanium Compounds	5.6.24	NOT PERMITTED
Tungsten and Tungsten Compounds	5.6.25	NOT PERMITTED
Vanadium and Vanadium Compounds	5.6.26	NOT PERMITTED
Zinc and Zinc Compounds	5.6.27	NOT PERMITTED
Zirconium and Zirconium Compounds	5.6.28	NOT PERMITTED
METALLOID ELEMENTS AND COMPOUNDS EXCEPT WHERE SPECIFICALLY ADDRESSED UNDER OTHER WASTE TYPES IN GROUPS 1 TO 5) (AS FOLLOWS):		
Antimony and Antimony Compounds	5.7.1	NOT PERMITTED
Arsenic and Arsenic Compounds	5.7.2	NOT PERMITTED
Bismuth and Bismuth Compounds	5.7.3	NOT PERMITTED
Selenium and Selenium Compounds	5.7.4	NOT PERMITTED
Tellurium and Tellurium Compounds	5.7.5	NOT PERMITTED
ORGANIC COMPOUNDS (EXCEPT WHERE SPECIFICALLY ADDRESSED UNDER OTHER WASTE TYPES IN GROUPS 1 TO 51 (AS FOLLOWS):		
Organohalogen Compounds	5.8.1	NOT PERMITTED
Organo-Metallic Compounds	5.8.2	NOT PERMITTED
Organo-Nitrogen Compounds	5.8.3	NOT PERMITTED
Organo-Sulphur Compounds	5.8.4	NOT PERMITTED

Group 5 Waste Types	Code	Permitted or Not Permitted
Organo-Phosphorus Compounds	5.8.5	NOT PERMITTED
Phenols, Analogues and Derivatives	5.8.6	NOT PERMITTED
Peroxides	5.8.7	NOT PERMITTED
Chelating Compounds	5.8.8	NOT PERMITTED
Phthalates	5.8.9	NOT PERMITTED
Solvents	5.8.10	NOT PERMITTED
Thinners	5.8.11	NOT PERMITTED  NOT PERMITTED
Mixed Solvents and Thinners	5.8.12	NOT PERMITTED
Petrol, Kerosene, Derv, Fuel Oil	5.8.14	NOT PERMITTED
Mineral Oils and Greases	5.8.15	NOT PERMITTED
Vegetable Oils, Fats and Greases	3.6.13	10112.41112
OTHER COMPOUNDS (INORGANIC OR ORGANIC) (EXCEPT WHERE SPECIFICALLY ADDRESSED UNDER OTHER WASTE		
TYPES IN GROUPS 1 TO 5)		
(AS FOLLOWS):		
Cyanides (all types)	5.9.1	NOT PERMITTED
Sulphates	5.9.2	NOT PERMITTED
Sulphides	5.9.3	NOT PERMITTED
Sclenides	5.9.4	NOT PERMITTED
Tellurides	5.9.5	NOT PERMITTED
Arsenides	5.9.6	NOT PERMITTED
Oxidising Compounds	5.9.7	NOT PERMITTED  NOT PERMITTED
Carbides and Acetylides	5.9.8	NOI PERMITTED
POLYMERIC MATERIALS (EXCEPT WHERE SPECIFICALLY		
ADDRESSED UNDER OTHER WASTE TYPES IN GROUPS 1 TO		
5) (AS FOLLOWS): Precursors, Monomers and products of incomplete Polymerisation	5.10.1	NOT PERMITTED
Finished Products and Manufacturing Scraps	5.10.2	NOT PERMITTED
Latex, Latex/Rubber solutions/suspensions	5.10.3	NOT PERMITTED
Synthetic Adhesive Wastes	5.10.4	NOT PERMITTED
Ion Exchange Resin Wastes	5.10.5	NOT PERMITTED
FINE CHEMICALS:		
Pharmaceuticals	5.11.1	NOT PERMITTED
Cosmetic Products	5.11.2	NOT PERMITTED
CLINICAL WASTES - TREATED OR UNTREATED		
Group A Wastes (Treated or Untreated)	5.12.1	NOT PERMITTED
Group B Wastes (Treated or Untreated)	5.12.2	NOT PERMITTED
Group C Wastes (Treated or Untreated)	5.12.3	NOT PERMITTED
Group D Wastes (Treated or Untreated)	5.12.4	NOT PERMITTED
Group E Wastes (Untreated)	5.12.5	NOT PERMITTED
Group E Wastes (Treated)	5.12.6	NOT PERMITTED
BIOCIDES, ETC.:		
Biocides	5.13.1	NOT PERMITTED
Pesticides	5.13.2	NOT PERMITTED  NOT PERMITTED
Herbicides	5.13.3	NOT PERMITTED
Fungicides	3.13.4	NOTTERMITTED
MISCELLANEOUS CHEMICAL WASTES (EXCEPT WHERE SPECIFICALLY ADDRESSED UNDER OTHER WASTE TYPES		
IN GROUPS 1 TO 5) (AS FOLLOWS):		
Mixed Organic Compounds	5.14.1	NOT PERMITTED
Mixed Inorganic Compounds	5.14.2	NOT PERMITTED
Laboratory Chemicals	5.14.3	NOT PERMITTED
Unidentified Chemicals	5.14.4	NOT PERMITTED
Organics identified by trade name only	5.14.5	NOT PERMITTED
Inorganics identified by trade name only	5.14.6	NOT PERMITTED
FILTER MATERIALS, CONTAMINATED RUBBISH AND		
TREATMENT SLUDGE:		Von Province
Used filter materials (including Carbon, Kieselguhr)	5.15.1	NOT PERMITTED
Industrial effluent treatment sludge	5.15.2	NOT PERMITTED
Filter cake	5.15.3	NOT PERMITTED  NOT PERMITTED
Filter screenings	۰.۲۲.۴	HOTTERMITTED
Interceptor Wastes, Tars, Paints, Dyes and Pigments: Tank cleaning sludge	5.16.1	NOT PERMITTED
I ank cleaning studge Interceptor pit wastes	5.16.2	NOT PERMITTED
Printing industry wastes (ink manufacture/use)	5.16.3	NOT PERMITTED
Paint/Varnish Wastes (Manufacture/Use)	5.16.4	NOT PERMITTED
Dyestuffs Waste	5.16.5	NOT PERMITTED
Distillation Residues	5.16.6	NOT PERMITTED
Tar, Pitch, Bitumen and Asphalts (except as Weathered Tar/Bitumen	5.16.7	NOT PERMITTED
	1	i
aggregate)		NOT PERMITTED

TS1r2 - d14 WML/0876

### 9. ANNEX C: CONTAMINATION CLASSES A TO E - LIMITS OF RANGES FOR CONTAMINATION LEVELS FOR SOILS AND OTHER WASTES

### Ranges of Permitted Contamination

	<u> </u>	Class A	Class A	Class B	Class C	Class D	Class E
Symbol	Determinand	Leachability test	Max	Max	Max	Max	Max
Symbol	pH (acid)	6.0	6	5	4	3	2
	pH (alkali)	8.0	8	9	10	11	12
	pri (dina)	μg/l	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Sb	Antimony	100	30	50	100	500	2,500
As	Arsenic	500	30	50	100	500	2,500
Ba	Barium	10,000	500	1,000	2,000	10,000	50,000
Be	Beryllium	250	5	10	20	50	250
В	Boron (available)	20,000	2	5	50	250	1,250
Cd	Cadmium	50	1	3	10	50	100
Cr	Chromium	500	100	200	500	2,500	12,500
Cu	Copper (available)	30,000	100	200	500	2,500	12,500
Pb	Lead (available)	500	200	500	1,000	5,000	25,000
Pb	Lead (total)	500	500	1,000	2,000	10,000	50,000
Mg	Magnesium	500,000	500	1,000	2,000	10,000	50,000
Mn	Manganese	500	500	1,000	2,000	10,000	50,000
Hg	Mercury	10	l	31	10	_50	100
Ni	Nickel (available)	500	20	50	200	1,000	5,000
Se	Selenium	100	l	3	10	50	250
V	Vanadium	10,000	100	200	500	2,500	12,500
Zn	Zinc (available)	50,000	250	500	1,000	5,000	25,000
Zn	Zinc equivalent	50,000	250	500	2,000	10,000	50,000
SO4	Sulphate	2,500,000	2,000	5,000	10,000	50,000	250,000
S	Sulphur (free)	See sulphate	100	500	1,000	5,000	25,000
S	Sulphide	See sulphate	10	20	100	500	2,500
CN	Cyanide (free)	See cyanide (total)	1	5	50	100	500
	Cyanide (total)	500	5	25	250	500	2,500
	Ferricyanide	500	100	500	1,000	5,000	25,000
	Thiocyanate	500	10	50	100	500	2,500
	Coal Tar	100	500	1,000	2,000	10,000	50,000
	Phenols	5	<u> </u>	5	50	250	1,250
<del></del>	Toluene extract	100	5,000	10,000	50,000	250,000	500,000
	Cyclohexane extract	100	2,000	5,000	20,000	100,000	500,000
	PCB	< 0.01	0.1	1	5		20
	Polyaromatics	2	50	500	1,000	5,000	25,000
	Chlorinated solvents	30	1	3	10	50	250

### Notes:

(1) Contamination Classes: Contamination Class A: Uncontaminated

Contamination Class B: Slightly contaminated

Contamination Class C: Contaminated Contamination Class D: Heavily contaminated

Contamination Class E: Unusually heavily contaminated

- In the cases of Contamination Class D (heavily contaminated) and Contamination Class E (unusually heavily contaminated) an analysis must be carried out to determine whether the contaminated soil or other waste material is a Special Waste and, if so, the disposal carried out in accordance with the requirements of the "Control of Pollution (Special Waste) Regulations 1980".
- (3) Unless specifically stated otherwise, contamination levels are for total concentration of contaminant.
- (4) Zinc equivalent: Combination of copper, nickel and zinc.

- (5) Leachate tests performed to determine whether wastes otherwise determined to be Class B to E may be considered to be Class A must be carried out using DIN 38 414 S4, followed by analyses for the parameters specified under 'Class A Leachate' above, against the maximum contamination levels listed..
  - (Maximum concentrations derived from The Water Supply (Water Quality) Regulations 1989, i.e. Maximum concentration = 10 x Maximum Concentration for drinking water quality; extrapolated where necessary for those parameters not cited in Regulations.)
- (6) With the exception of surface water monitoring for pH and conductivity, all analyses to be carried out by NAMAS-accredited laboratory, or recognised equivalent.
- (7) For contaminants which are not specified in the above table, the soil or other waste material should be considered as the specific waste type from Group 5, on the basis of the worstcase contaminant detected in the analysis.

### 10. ANNEX D: WASTE RECORDS - INCOMING AND OUTGOING

The following information shall be recorded in the waste control records for all incoming wastes, all outgoing wastes and all outgoing reclaimed materials:

	INFORMATION RECORD	INCOMING WASTES RECEIPT	OUTGOING WASTES DESPATCH	RECLAIMED MATERIALS DESPATCH
1	CWTN number	Y	Y	
2	Waste material type	Y	Y	
3	Reclaimed material type			Y
4	Time and date received on-site	Y		
5	Containment unit	Ŷ	Y	Y
6	Quantity per unit	Y	Y	Y
7	Total quantity	Y	Y	Y
8	Off-site source / carrier	Y		
9	Off-site destination / carrier	<del>_</del>	Y	Y
10	Time and date off-site		Y	Y
11	Registration number of vehicle	Y	Y	Y
12	Driver name	Y	Y	Ÿ

For the purpose of waste recording only, incoming and outgoing wastes shall be recorded using the following classification:

Group 1, 2 and 3 waste types which are permitted under Annex B or which are rejected from the site shall be recorded, as appropriate, as one or more of the following:

Household waste

Commercial waste

Inert waste (i.e. non-biodegradable, non-flammable materials)

Building/demolition waste

Industrial waste

Scrap metal

Vehicles

Group 4 waste types which are permitted under Annex B or which are rejected from the site shall be recorded, as:

Asbestos containing wastes

Group 5 waste types which are rejected from the site, and any waste which is received at the site and placed in quarantine storage, shall be recorded as the specific waste type from Annex B.

Note: All records maintained in accordance with 8 and 9 above shall not normally be submitted to the Waste Regulation Authority. All such records shall be submitted only on written request.

11. ANNEX E: SITE RECORDS - FORMATS

TS1r2 - d14 WML/0876 27

### SITE RETURN - WASTE SUMMARY RECORD

LICENCE NUMBER:

WML/0876

SITE TYPE:

TRANSFER STATION - NON-SPECIAL WASTE

LICENCE HOLDER:

PJ Boughey, CP Boughey & LJ Boughey T/A CPL Skip Hire

SITE LOCATION:

Albert Street, Hollinwood

DATES FROM:

TO:

WASTE CATEGORY (RECORD PURPOSES ONLY)	INCOMING WASTE (Tonnes)	OUTGOING WASTE (Tonnes)	RECLAIMED MATERIALS (Tonnes)
HOUSEHOLD			
COMMERCIAL			
INERT (i.e. non-			
biodegradable, non-flammable		<b>§</b>	[
materials)	<u></u>	<u> </u>	
BUILDING/DEMOLITION	<del> </del>		<u> </u>
INDUSTRIAL WASTE		}	]
(NON-SPECIAL & NON-GROUP 5)		•	\
SCRAP METAL	<del>, , , , , , , , , , , , , , , ,</del>		
VEHICLES			
ASBESTOS-CONTAINING			
WASTES	 		<u> </u>
GROUP 5 AND SPECIAL			
(DESCRIBE AS PER ANNEX B, GROUP 5)			<b>}</b>
	<del> </del>		
	<del></del>		<u></u>
RECLAIMED MATERIALS (SPECIFY)			
<u></u>	<del></del>		
	<del></del>		<u> </u>
· · · · · · · · · · · · · · · · · · ·	<del></del>		ļ
L	<del></del>	<u> </u>	<u> </u>

Technically Competent/deemed Technicall	y Comi	petent Site	Manager	:
---	--------	-------------	---------	---

Name (block capitals)

Signature

Date

TS1r2 - d14 WML/0876 28

Signed on behalf of the Greater Manchester Waste Regulation Authority

R Clapton

Chief Officer

15 May 1995 Greater Manchester Waste Regulation Authority

6th Floor

Blackfriars House

Parsonage

Manchester

M3 2JA