



# **Notice of variation and consolidation with introductory note**

**The Environmental Permitting (England & Wales) Regulations 2016**

---

WHEELDON BROTHERS WASTE LIMITED

Mossdown Road  
Royton  
Oldham  
OL2 6HS

**Variation application number**

EPR/SP3591CJ/V005

**Permit number**

EPR/SP3591CJ

# **Wheeldon Brothers Waste Limited**

## **Permit number EPR/SP3591CJ**

### **Introductory note**

#### **This introductory note does not form a part of the permit**

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This Environment Agency has a duty, under the Environmental Permitting (England and Wales) Regulations 2016, regulation 34(1), to periodically review permits. As part of this variation, we have reviewed the permit and made the changes to necessarily reflect current standards and best practice, which principally relate to the implementation of our technical guidance 'Non-hazardous and inert waste: appropriate measures for permitted facilities'.

The 'Non-hazardous and inert waste: appropriate measures for permitted facilities' guidance was published on the GOV.UK website on 12 July 2021 (updated on 8 December 2022 and 1 August 2023). This guidance sets out the standards that are relevant to regulated facilities with a permit to store, treat or transfer (or both) non-hazardous and inert wastes.

The 'Waste electrical and electronic equipment: appropriate measures for permitted facilities' guidance was published on the GOV.UK website on 13 July 2022 (updated on 13 July 2022). This guidance sets out the standards that are relevant to regulated facilities with a permit to store, treat or transfer (or both) waste electrical and electronic equipment.

The 'Chemical waste: appropriate measures for permitted facilities' guidance was published on the GOV.UK website on 18 November 2020 (updated on 18 November 2020). This guidance sets out the standards that are relevant to regulated facilities with a permit to store, treat or transfer (or both) chemical waste.

The 'Waste temperature exchange equipment: appropriate measures for permitted facilities' guidance was published on the GOV.UK website on 13 July 2022 (updated 13 July 2022). This guidance sets out the standards that are relevant to regulated facilities with a permit to store, treat or transfer (or both) waste temperature exchange equipment.

A permit variation was completed alongside the review, this involved:

- Extending the permitted area from 4,330m<sup>2</sup> to 10,280m<sup>2</sup>.
- Increasing the annual throughput by 28,000 tonnes to 100,000 tonnes per annum.

The main features of the site are as follows.

The regulated facility comprises of:

- Household Commercial Industrial (HCI) waste transfer station
- Physical treatment activity.

There are two main buildings which house the on-site processing plant. The site has fully concrete surfacing. Surface water drains through an interceptor to foul sewer via a contained drainage system which includes an automatic pumping station and a 20,000-litre underground storage tank. The site is located in an industrial setting with multiple nearby sensitive receptors including residential properties (the closest being 145m away), habitats

including the River Beal (60m away) and Royton Moss Lowland Fens (120m away), and several schools (over 500m away). The operator uses their own management system.

The schedules specify the changes made to the permit.

The status log of the permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Waste Disposal Licence issued RD/LIC/378/84	11/09/85	Original Waste Disposal Licence issued to Conroy & Flynn Ltd
Modification M1	20/04/90	
Licence RD/LIC/378/84 Transferred to Wheeldon Bros	15/07/91	
Modification WML/0378/M02/T01 (previously RD/LIC/378/84)	05/09/97	To modify the conditions of the licence to keep and treat controlled waste on land at Moss Down Road, Oldham delineated on the site plan WML/0378/M02/T01/P1.
Change of Name Waste Management Licence WML/0378/M02/T01	14/07/00	Change of Name of Licence Holder to John Wheeldon, Patricia Wheeldon and Glenda Wheeldon T/A Wheeldon Brothers.
Modification EAWML 53932 (previously WML/0378/M02/T01)	07/11/08	To add Waste Electrical and Electronic Equipment (WEEE) storage and treatment conditions.
Transfer Application EPR/SP3498VU/T001 withdrawn	01/03/11	
Variation determined EPR/SP3591CJ/V002	28/04/11	To increase site boundary to take in the former waste site JCB Skip Hire (2004) Limited.
Transfer determined EPR/SP3591CJ/T003	27/07/23	Application to transfer the permit in full to Wheeldon Brothers Waste Limited. Full transfer of permit complete.
Application EPR/SP3591CJ/V004 (variation and consolidation)	05/04/23	
Regulation 61 Notice sent to operator EPR/SP3591CJ/V005	25/03/24	Regulation 61 Notice requiring information for statutory review of permit.
Regulation 61 Notice response 1	15/08/24	Response received from the operator.
Response to Schedule 5 Notice dated 05/12/24	31/01/25 14/02/25	Updated management plans: Fire Prevention Plan (FPP), Dust Emissions Management Plan (DEMP), Odour Management Plan (OMP), Site Condition Report (SCR), Environmental Risk Assessment (ERA), Environmental Management System (EMS), and non-technical summary.
Regulation 61 Notice response 2	21/03/25	
Response to Schedule 5 Notice dated 27/03/25	10/04/25	Information on Noise sampling
Response to Schedule 5 Notice dated 14/04/25	13/05/25	Details regarding containment measures, electronic waste tracking, RDF production, waste codes, and the U1 exemption.
Response to Schedule 5 Notice dated 24/04/25	13/05/25	Updated management plans: FPP, OMP, DEMP, EMS, and ERA.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Response to Schedule 5 Notice dated 06/05/25	14/05/25	Site layout plan and Site Condition Report
Response to Schedule 5 Notice dated 27/03/25	27/05/25	Revised NIA
Response to Schedule 5 Notice dated 27/06/25	30/06/25	Revised NMP according to Acoustic and Air Quality Monitoring Unit's (AQMAU's) recommendations.
Response to Schedule 5 Notice dated 29/07/25	31/07/25	Clarified aspects of the Noise Management Plan
Response to a Request for Information dated 01/08/25	04/08/25	Updated the NMP with abnormal waste codes and defined time period for complaints.
Response to a Request for Information dated 11/09/25	15/09/25	Information on waste codes, contacts and activities.
Response to a Request for Information dated 19/09/25	23/09/25	Information on activities.
Response to Request for Information dated 19/11/25	20/11/25 21/11/25	Information on activities and food waste storage area, including 2 documents and 2 site plans.
EA Initiated Variation EPR/SP3591CJ/V005 (variation and consolidation)	Environment Agency Initiated Variation	Statutory review of permit.
Environment Agency Non-hazardous & Inert Waste Treatment Sector Review Permit reviewed Variation determined EPR/SP3591CJ	03/12/25	Varied and consolidated permit issued.

End of introductory note

# Notice of variation and consolidation

## The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies EPR/SP3591CJ

**Permit number**

**EPR/SP3591CJ**

**Issued to**

**WHEELDON BROTHERS WASTE LIMITED** ("the operator"),

whose registered office is

**Bridge House  
Yeargate Ind Est  
Bury New Road  
Bury  
Lancashire  
BL9 7HT**

company registration number 00843156

to operate waste operations at

**Wheeldon Brothers Waste Limited  
Mossdown Road  
Royton  
Oldham  
OL2 6HS**

to the extent set out in the schedules.

The notice shall take effect from 03/12/2025

Name	Date
<b>Laura Asbury</b>	<b>03/12/2025</b>

Authorised on behalf of the Environment Agency

## **Schedule 1**

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

The following conditions are varied as a result of the application made by the operator: waste code tables S2.1, S2.2 and S2.3 as referenced in condition 2.4.1a to increase throughput (subject to the improvement conditions and pre-operational conditions being met as referenced in condition 2.5 and tables S1.3 and S1.4) and the site plan in Schedule 7, as referenced in condition 2.2.1, to increase the site boundary.

## **Schedule 2 – consolidated permit**

Consolidated permit issued as a separate document.

# Permit

## The Environmental Permitting (England and Wales) Regulations 2016

### Permit number

**EPR/SP3591CJ**

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/SP3591CJ/V005 authorising,

**WHEELDON BROTHERS WASTE LIMITED** ("the operator"),

whose registered office is

**Bridge House  
Yeargate Ind Est  
Bury New Road  
Bury  
Lancashire  
BL9 7HT**

company registration number 00843156

to operate waste operations at

**Wheeldon Brothers Waste Limited  
Mossdown Road  
Royton  
Oldham  
OL2 6HS**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
<b>Laura Asbury</b>	<b>03/12/2025</b>

Authorised on behalf of the Environment Agency

# Conditions

## 1 Management

### 1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
  - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
  - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

### 1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
  - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
  - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
  - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

## 2 Operations

### 2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

### 2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

### 2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## **2.4 Waste acceptance**

2.4.1 Waste shall only be accepted if:

- (a) it is of a type and quantity listed in schedule 2 tables S2.1, S2.2, or S2.3; and
- (b) it conforms to the description in the transfer documentation supplied by the producer and holder.

## **2.5 Improvement programme**

2.5.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.5.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

## **2.6 Technical requirements**

### **Hazardous waste storage and treatment**

2.6.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

## **3 Emissions and monitoring**

### **3.1 Emissions of substances not controlled by emission limits**

3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.1.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
- (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.2 Odour**

3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate

measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

### **3.3 Noise and vibration**

3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

### **3.4 Fire prevention**

3.4.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

## **4 Information**

### **3.5 Records**

3.5.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
  - (i) off-site environmental effects; and
  - (ii) matters which affect the condition of the land and groundwater.

3.5.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

### **3.6 Reporting**

3.6.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

3.6.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

### **3.7 Notifications**

3.7.1 The Environment Agency shall be notified without delay following the detection of:

- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
- (b) the breach of a limit specified in the permit; or
- (c) any significant adverse environmental effects.

3.7.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

3.7.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

3.7.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

3.7.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

## **3.8 Interpretation**

3.8.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

3.8.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

## Schedule 1 - Operations

Table S1.1 activities – Household, commercial and industrial (HCI) waste transfer station and a physical treatment activity		
Activity reference	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
<b>AR1</b>	<p><b>Household, commercial and industrial (HCI) Transfer station</b></p> <p><b>R3:</b> Recycling/reclamation of organic substances which are not used as solvents</p> <p><b>R4:</b> Recycling/reclamation of metals and metal compounds</p> <p><b>R5:</b> Recycling/reclamation of other inorganic materials,</p>	<p>Treatment operations shall be limited to:</p> <ul style="list-style-type: none"> <li>Manual sorting and separation of non-hazardous and hazardous waste for disposal (no more than 50 tonnes per day) or recovery.</li> </ul> <p>Treatment shall be carried out within a building/enclosed building on an impermeable surface with sealed drainage.</p> <p>Waste types suitable for acceptance are limited to those wastes specified in tables S2.1 and S2.3.</p> <p>There shall be no treatment of hazardous waste.</p> <p>There shall be no treatment of WEEE or batteries.</p> <p>Wastes listed in Table S2.3 shall be treated on an impermeable surface with sealed drainage or on hardstanding.</p>

<p><b>Storage of waste</b></p> <p><b>R13:</b> Storage of waste pending the operations numbered R1, R4 and R5 (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>D15:</b> Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Secure storage and bulking of waste shall take place in a building/enclosed building.</p> <p>No wastes listed in S2.1 and S2.2 shall be stored for longer than 6 months.</p> <p>Odorous wastes or wastes likely to generate odour shall not be stored longer than 7 days.</p> <p>Waste Temperature Exchange Equipment (WTEE) shall not be stored for longer than 3 months.</p> <p>Food waste 20 01 08 shall be stored for no longer than 72 hours.</p> <p>Wastes listed in table S2.3 shall be stored for no longer than 12 months.</p> <p>Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence.</p> <p>Wastes listed in Tables S2.1 and S2.2 shall be stored on an impermeable surface with sealed drainage system.</p> <p>Wastes listed in Table S2.3 shall be either stored on an impermeable surface with sealed drainage or on hardstanding.</p> <p>All waste should be stored securely and no more than 2,500 tonnes (in aggregate) of waste shall be stored on site at any one time.</p> <p>The total amount of hazardous waste stored on site at any one time shall not exceed 50 tonnes.</p> <p>No more than a total of 10 tonnes of whole end of life tyres shall be stored at any time.</p> <p>No more than a total of 10 tonnes of waste batteries shall be stored at any one time.</p> <p><b>Food waste</b></p> <p>Food Waste shall be:</p> <ul style="list-style-type: none"> <li>• clearly identified and segregated from other wastes within a dedicated reception, storage, and handling area designed so that it can be easily cleared and cleaned;</li> <li>• stored in either within an enclosed building, or within rigid sealed containers, sealed skips or sealed bulk trailers;</li> </ul> <p>Food reception, storage, and handling areas shall be cleaned at least weekly.</p> <p>All spillages of food waste shall be cleaned up as soon as practicable and in any event within an hour of them occurring.</p> <p><b>WEEE Waste</b></p>
---	--

	<p>WEEE waste shall be clearly identified and segregated.</p> <p>WEEE that may be reused as whole appliances, or that may have components recovered from them for reuse, shall be stored under weatherproof covering to prevent the ingress of water.</p> <p>WEEE containing hazardous material or fluids shall be stored under weatherproof covering where this is necessary to prevent pollution of surface water.</p> <p>Small mixed WEEE shall not be compacted or compressed during storage and preparation for transport.</p> <p>Flat panel display and cathode ray tube equipment must be stored securely to prevent breakage. Where it contains Cold Cathode Fluorescent Lamps (CCFL) it must be stored under weatherproof covering.</p> <p>Fluorescent lamps must be stored in rigid, leakproof and weatherproof containers that do not distort or flex when being moved.</p> <p>Waste Temperature Exchange Equipment (WTEE) shall be stored and handled in a way that protects and prevents damage to cooling circuits, compressors, the appliance casing and foam insulation.</p> <p>WTEE shall not be tipped and shall not be stacked or stored more than 3.6m high</p> <p><b>Batteries</b></p> <p>Batteries shall be:</p> <ul style="list-style-type: none"> <li>• clearly identified and segregated from other wastes; and</li> <li>• stored in secure weatherproof containers that are leak-proof.</li> </ul> <p>Containers must be closed or stored under weatherproof covering to prevent the accumulation of rainwater.</p> <p>Lead acid batteries shall be stored upright in containers with an impermeable, acid-resistant base.</p> <p>Lithium-ion batteries that are stored either separately, or as mixed batteries, must be marked as a fire hazard and stored accordingly.</p> <p><b>POPs and bulky waste</b></p> <p>Waste containing persistent organic pollutants (POPs) shall be:</p> <p class="list-item-l1">(a) segregated from other wastes; and</p> <p class="list-item-l1">(b) stored on an impermeable surface with sealed drainage system.</p> <p>Waste containing persistent organic pollutants (POPs) above the thresholds specified within the Persistent Organic Pollutants Regulations 2007 shall be segregated from other wastes.</p>
--	--

		<p>Buildings, covered areas or containers shall meet the following requirements:</p> <ul style="list-style-type: none"> <li>• buildings, covered areas, or containers shall be designed, constructed and maintained to prevent ingress of rain and surface water;</li> <li>• rain and uncontaminated surface water shall be kept separate from contaminated water and other liquids;</li> <li>• containers containing waste shall be stored on an impermeable surface with sealed drainage system.</li> </ul>
AR2	<p><b>Household, commercial and industrial (HCl) Transfer station (with physical treatment)</b></p> <p><b>R3:</b> Recycling/reclamation of organic substances which are not used as solvents</p> <p><b>R4:</b> Recycling/reclamation of metals and metal compounds</p> <p><b>R5:</b> Recycling/reclamation of other inorganic materials</p> <p><b>D9:</b> Physico-chemical treatment not specified elsewhere in Annex IIA which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D8 and D10 to D12</p> <p><b>D14:</b> Repackaging prior to submission to any of the operations numbered D1 to D13</p>	<p>Treatment operations shall be limited to:</p> <ul style="list-style-type: none"> <li>• Sorting, separation, screening, shredding, and bulking of non-hazardous waste for disposal (no more than 50 tonnes per day) or recovery.</li> </ul> <p>Treatment shall be carried out within a building/enclosed building on an impermeable surface with sealed drainage.</p> <p>Treatment of slags or ashes for disposal shall not exceed 50 tonnes per day. Treatment of slags or ashes for recovery shall not exceed 75 tonnes per day.</p> <p>Pre-treatment of waste for disposal by incineration or co-incineration shall not exceed 50 tonnes per day. Pre-treatment of waste for recovery by incineration or co-incineration shall not exceed 75 tonnes per day.</p> <p>Waste types suitable for treatment are limited to those non-hazardous wastes specified in table S2.2.</p>

<p><b>Storage of waste</b></p> <p><b>R13:</b> Storage of waste pending the operations numbered R1, R4 and R5 (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>D15:</b> Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>All waste should be stored securely and no more than 2,500 tonnes (in aggregate) of waste shall be stored on site at any one time.</p> <p>Secure storage and bulking of waste shall take place in a building/enclosed building.</p> <p>Wastes shall be stored for no longer than 6 months.</p> <p>Odorous wastes or wastes likely to generate odour shall not be stored longer than 7 days.</p> <p>Buildings, covered areas or containers shall meet the following requirements:</p> <ul style="list-style-type: none"> <li>• buildings, covered areas, or containers shall be designed, constructed and maintained to prevent ingress of rain and surface water;</li> <li>• rain and uncontaminated surface water shall be kept separate from contaminated water and other liquids;</li> <li>• containers containing waste shall be stored on an impermeable surface with sealed drainage system.</li> </ul>
---	--

**Table S1.2 Operating techniques**

<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Non-hazardous and inert waste: appropriate measures for permitted facilities  Version published 12 July 2021  Updated 1 August 2023	All relevant parts of the appropriate measures guidance shall apply.	21/03/25
Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities  Version published 13 July 2022  Updated 13 July 2022	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"><li>those parts listed below which are not applicable: The following parts of the appropriate measures guidance are not applicable:<ul style="list-style-type: none"><li>Section 5 - Waste treatment appropriate measures</li><li>Section 8 - Process efficiency appropriate measures</li></ul></li></ul>	21/03/25
Waste temperature exchange equipment: appropriate measures for permitted facilities  Version published 13 July 2022  Updated 13 July 2022	All relevant parts of the appropriate measures guidance shall apply.	15/09/25
Chemical waste; appropriate measures for permitted facilities  Version published 18 November 2020  Updated 18 November 2020	All relevant parts of the appropriate measures guidance shall apply.	15/09/25
Additional information received in response to the Request for Further Information (RFI) dated 19/11/25	Email dated 20/11/25 at 09:48. Animal By-Products facility approval letter and certificate from the Animal and Plant Health Agency, to approve the on-site food waste bunker: this comprises of two documents titled 'AB16_Wheeldon Brothers Waste_full appr_EB' and 'AB04-Wheeldon Brothers Waste_full appr_EB'.  Email dated 21/11/25 at 09:46. Site plans showing the Animal and Plant Health Agency approved the food waste bunker: this comprises of two site plans titled 'Expanded Food Waste Map 2025' and 'Oldham Food waste Map 2025'.	20/11/25  21/11/25

**Table S1.2 Operating techniques**

Description	Parts	Date Received
Odour Management Plan, May 2025	Approved Odour Management Plan reference OMP issue 1A Ref: 146/3A 13/05/25  Approved 09/09/25	13/05/25
Fire Prevention Plan, May 2025	Approved Fire Prevention Plan issue V4 Ref: 146/1A 13/05/25  Approved 03/10/25	13/05/25
Noise and Vibration Management Plan, August 2025	Approved Noise and Vibration Management Plan issue V3 Ref: 04/08/2025.  Approved 14/08/25.	04/08/25

**Table S1.3 Improvement programme requirements**

Reference	Requirement	Date
IC1	<p><b>Improvement to Site Infrastructure and Building Enclosures to Minimise Emissions</b></p> <p>The operator shall submit to the Environment Agency for approval a plan detailing improvements to site infrastructure and/or building enclosures (or equivalent alternative containment measures) to prevent and minimise emissions of dust, odour, and other pollutants from waste treatment and storage activities.</p> <p>The plan shall reference:</p> <p><b>1. Appropriate Measures Guidance</b></p> <ul style="list-style-type: none"> <li>• Incorporate the relevant sections of <i>Non-Hazardous and Inert Waste: Appropriate Measures for Permitted Facilities</i> for waste storage and waste treatment, including: <ul style="list-style-type: none"> <li>○ Enclosing waste handling and treatment activities within buildings or suitably designed structures.</li> <li>○ Using impermeable surfaces with sealed drainage for all waste storage and treatment areas.</li> <li>○ Implementing mechanical unloading technologies and dust suppression systems.</li> <li>○ Locating storage areas away from sensitive receptors and watercourses.</li> <li>○ Maintaining security to prevent unauthorised access.</li> <li>○ Applying first-in-first-out principles for waste storage and minimising storage durations.</li> <li>○ Ensuring emissions are controlled at source through abatement systems and monitoring.</li> </ul> </li> </ul> <p><b>2. Infrastructure Enhancements</b></p> <ul style="list-style-type: none"> <li>• Propose measures such as: <ul style="list-style-type: none"> <li>○ Full or partial building enclosure for waste treatment and storage areas.</li> <li>○ Installation of dust and odour control systems (e.g., misting, negative air pressure, filtration).</li> <li>○ Upgrading surfacing and containment engineering to prevent fugitive emissions.</li> </ul> </li> </ul>	03/03/2026 or such other date as agreed in writing with the Environment Agency

**Table S1.3 Improvement programme requirements**

Reference	Requirement	Date
	<ul style="list-style-type: none"> <li>○ Incorporating energy-efficient ventilation and monitoring systems to reduce carbon footprint.</li> </ul> <p><b>3. Timescales and Implementation</b></p> <ul style="list-style-type: none"> <li>● Include clear timescales for design, procurement, and completion of works.</li> <li>● Provide contingency measures if full enclosure cannot be achieved immediately (e.g., temporary covers, enhanced suppression).</li> </ul> <p><b>4. Performance Monitoring</b></p> <ul style="list-style-type: none"> <li>● Detail how improvements will be monitored and maintained to ensure ongoing compliance with emissions control requirements.</li> </ul> <p><b>Deadline:</b></p> <p>Submit the plan within 3 months of the permit issue date.</p>	
IC2	<b>Implement the proposals approved by the Environment Agency which were submitted to comply with the requirements of IC1 within 2 years of the date of approval in writing.</b>	DD/MM/YYYY or such other date as agreed in writing with the Environment Agency (within 2 years of the date of approval of IC1)
IC3	<p><b>Cessation of shredding of waste code 10 11 03</b></p> <p>The operator shall not undertake any shredding, fragmentation, or mechanical size reduction of waste classified under waste code 10 11 03 (waste glass-based fibrous materials) until Improvement Conditions IC1 and IC2 have been fully met and formally approved in writing by the Environment Agency.</p> <p>IC3 shall also require the operator to:</p> <ul style="list-style-type: none"> <li>● Demonstrate that shredding will not result in increased risk to human health or the environment, including emissions to air, land, or water.</li> <li>● Provide a method statement outlining operational controls, monitoring procedures, and mitigation measures to manage risks associated with shredding this waste stream.</li> <li>● Obtain written confirmation from the Environment Agency that the submitted information is satisfactory and that shredding may proceed under the conditions specified.</li> </ul> <p>No shredding of waste code 10 11 03 shall occur until this approval is granted.</p>	DD/MM/YYYY
IC4	<p><b>Provide a revised Dust Emissions Management Plan (DEMP).</b></p> <p>The operator shall submit to the Environment Agency an updated Dust Emissions Management Plan (DEMP) that includes and demonstrates the following amendments and improvements made as part of IC1, IC2 and PO1:</p> <p>Incorporation of Revised Permit Conditions:</p>	DD/MM/YYYY (within 2 months of the date of approval of IC1 and IC2)

**Table S1.3 Improvement programme requirements**

Reference	Requirement	Date
	<ul style="list-style-type: none"><li>The DEMP shall reflect all recent amendments to the environmental permit, including any new emission limits, operational controls, or monitoring requirements.</li></ul> <p>The updated Dust Emissions Management Plan shall be submitted to the Environment Agency within 2 months of the date of the approval of IC1 and IC2.</p> <p>The operator shall provide documentary evidence that the updated DEMP has been implemented and communicated to relevant site personnel. This may include training records, monitoring logs, and photographic evidence of control measures.</p> <p>The plan shall be provided to the Environment Agency for written approval. Once approved, the plan will form part of the permit.</p>	

**Table S1.4 Pre-operational conditions**

Reference	Pre-operational measure
PO1	<p><b>Pre-Operational Condition: PO1 – Restriction on Increased Tonnage Pending IC1 and IC2 Approval</b></p> <p>The operator shall not commence any activities associated with the proposed increase in annual waste throughput of an additional 28,000 tonnes until Improvement Conditions IC1 and IC2 have been fully complied with and formally approved in writing by the Environment Agency.</p> <p>This pre-operational restriction includes but is not limited to:</p> <ul style="list-style-type: none"><li>• Acceptance of waste volumes exceeding the currently permitted annual limit.</li></ul> <p>Approval of IC1 and IC2 shall be confirmed in writing by the Environment Agency. Prior to approval it shall be demonstrated that all environmental risks associated with the increased tonnage have been adequately assessed and mitigated.</p> <p>No increase in tonnage shall be permitted until this condition has been discharged.</p>
PO2	<p><b>Pre-Operational Condition: PO2 – Restriction on Activities Within Extended Permit Area Pending IC1 and IC2 Approval</b></p> <p>The operator shall not undertake any activities other than the transfer and storage of waste within the extended permit boundary area until Improvement Conditions IC1 and IC2 have been fully complied with and formally approved in writing by the Environment Agency.</p> <p>Approval of IC1 and IC2 shall be confirmed in writing by the Environment Agency. Prior to approval it shall be demonstrated that all environmental risks associated with treatment in the extended area have been adequately assessed and mitigated.</p> <p>No treatment in the extended permit area shall be permitted until this condition has been discharged.</p> <p>Operations relating to Improvement Conditions IC3 and IC4, and Pre-Operational Condition 1 shall not commence until completion of at least one of the specified building works has been verified and approved in writing by the Environment Agency. Once approved, operations may commence within the building for which specified building works have been approved, in line with the above conditions.</p>

## Schedule 2 – Waste types

**Table S2.1 Permitted waste types and quantities for the household, commercial and industrial waste transfer station**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<b>Wastes having any of the following characteristics shall not be accepted:</b> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>01</b>	<b>Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals</b>
<b>01 01</b>	<b>wastes from mineral excavation</b>
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
<b>02 01</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 01	soil from cleaning and washing vegetables
02 01 03	plant-tissue waste
02 01 07	wastes from forestry
<b>10</b>	<b>Wastes from thermal processes</b>
<b>10 09</b>	<b>wastes from casting of ferrous pieces</b>
10 09 03	furnace slag
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
<b>10 10</b>	<b>wastes from casting of non-ferrous pieces</b>
10 10 03	furnace slag
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
<b>10 11</b>	<b>wastes from manufacture of glass and glass products</b>
10 11 03	waste glass-based fibrous materials
<b>10 12</b>	<b>wastes from manufacture of ceramic goods, bricks, tiles and construction products</b>
10 12 01	waste preparation mixture before thermal processing
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 12	wastes from glazing other than those mentioned in 10 12 11
<b>10 13</b>	<b>wastes from manufacture of cement, lime and plaster and articles and products made from them</b>
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12

**Table S2.1 Permitted waste types and quantities for the household, commercial and industrial waste transfer station**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>12</b>	<b>Wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 01	ferrous metal filings and turnings
12 01 03	non-ferrous metal filings and turnings
12 01 13	welding wastes
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
<b>16</b>	<b>Wastes not otherwise specified in the list</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>
16 01 03	end-of-life tyres
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries
<b>16 11</b>	<b>waste linings and refractories</b>
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
<b>17 04</b>	<b>metals (including their alloys)</b>
17 04 10*	cables containing hazardous substances other than oil or coal tar

**Table S2.1 Permitted waste types and quantities for the household, commercial and industrial waste transfer station**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<b>Wastes having any of the following characteristics shall not be accepted:</b> <ul style="list-style-type: none"><li>• Consisting solely or mainly of dusts, powders or loose fibres</li><li>• Wastes that are in a form which is either sludge or liquid</li></ul>
<b>Waste code</b>	<b>Description</b>
17 04 11	cables other than those mentioned in 17 04 10
<b>17 08</b>	<b>gypsum-based construction material</b>
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 05</b>	<b>wastes from aerobic treatment of solid wastes</b>
19 05 01	non-composted fraction of municipal and similar wastes
19 05 03	off-specification compost
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 09	minerals (for example sand, stones)
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 08	biodegradable kitchen and canteen waste
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 34	batteries other than those mentioned in 20 01 33 not including li- ion traction batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 40	metals
20 01 41	chimney sweeping wastes
<b>20 02</b>	<b>garden and park wastes (including cemetery wastes)</b>
20 02 01	biodegradable waste
<b>20 03</b>	<b>other municipal wastes</b>
20 03 03	street-cleaning residues
20 03 07	bulky waste

**Table S2.2 Permitted waste types and quantities for the physical treatment of household, commercial and industrial waste activity**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
<b>02 01</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 04	waste plastics (except packaging)
02 01 10	waste metal
<b>03</b>	<b>Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard</b>
<b>03 01</b>	<b>wastes from wood processing and the production of panels and furniture</b>
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
<b>03 03</b>	<b>wastes from pulp, paper and cardboard production and processing</b>
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
<b>07</b>	<b>Wastes from organic chemical processes</b>
<b>07 02</b>	<b>wastes from the MFSU of plastics, synthetic rubber and man-made fibres</b>
07 02 13	waste plastic
<b>10</b>	<b>Wastes from thermal processes</b>
<b>10 11</b>	<b>wastes from manufacture of glass and glass products</b>
10 11 03	waste glass-based fibrous materials
10 11 12	waste glass other than those mentioned in 10 11 11
<b>10 13</b>	<b>wastes from manufacture of cement, lime and plaster and articles and products made from them</b>
10 13 14	waste concrete
<b>12</b>	<b>Wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 05	plastic shavings and turnings
<b>15</b>	<b>Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging

**Table S2.2 Permitted waste types and quantities for the physical treatment of household, commercial and industrial waste activity**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 01</b>	<b>concrete, bricks, tiles and ceramics</b>
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 01	wood
17 02 02	glass
17 02 03	plastic
<b>17 04</b>	<b>metals (including their alloys)</b>
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 04	soil and stones other than those mentioned in 17 05 03

**Table S2.2 Permitted waste types and quantities for the physical treatment of household, commercial and industrial waste activity**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
17 05 08	track ballast other than those mentioned in 17 05 07
<b>17 06</b>	<b>insulation materials and asbestos-containing construction materials</b>
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
<b>17 09</b>	<b>other construction and demolition wastes</b>
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 02</b>	<b>Wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 12	mixtures of paper, cardboard, plastic, glass, and metal and other non-hazardous wastes from the processing of dry mixed recyclable and source segregated recyclable wastes.
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard
20 01 02	glass
20 01 10	clothes
20 01 11	textiles
20 01 38	wood other than that mentioned in 20 01 37

**Table S2.2 Permitted waste types and quantities for the physical treatment of household, commercial and industrial waste activity**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
20 01 39	plastics
<b>20 02</b>	<b>garden and park wastes (including cemetery waste)</b>
20 02 02	soil and stones
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 07	bulky waste

**Table S2.3 Permitted waste types that can be stored on hardstanding or an impermeable surface with sealed drainage**

<b>Maximum quantity</b>	Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>01</b>	<b>Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals</b>
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 01	soil from cleaning and washing vegetables
<b>02 04</b>	<b>wastes from sugar processing</b>

**Table S2.3 Permitted waste types that can be stored on hardstanding or an impermeable surface with sealed drainage**

<b>Maximum quantity</b>	<b>Annual throughput from all activities (AR1 and AR2) shall not exceed 100,000 tonnes per annum</b>
<b>Exclusions</b>	<p><b>Wastes having any of the following characteristics shall not be accepted:</b></p> <ul style="list-style-type: none"> <li>• Consisting solely or mainly of dusts, powders or loose fibres</li> <li>• Wastes that are in a form which is either sludge or liquid</li> <li>• Hazardous waste;</li> </ul>
<b>Waste code</b>	<b>Description</b>
02 04 01	soil from cleaning and washing beet
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 01</b>	<b>concrete, bricks, tiles and ceramics</b>
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 13</b>	<b>wastes from soil and groundwater remediation</b>
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 02</b>	<b>Garden and park wastes (including cemetery waste)</b>
20 02 02	soil and stones

## **Schedule 3 – Emissions and monitoring**

There are no emission limits or monitoring requirements.

## **Schedule 4 – Reporting**

There is no reporting under this schedule.

# Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

## Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

<b>(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution</b>	
<b>To be notified within 24 hours of detection</b>	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substance(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Measures taken, or intended to be taken, to stop the emission	

<b>Time periods for notification following detection of a breach of a limit</b>	
<b>Parameter</b>	<b>Notification period</b>

<b>(c) Notification requirements for the detection of any significant adverse environmental effect</b>	
<b>To be notified within 24 hours of detection</b>	
Description of where the effect on the environment was detected	
Substance(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

## Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

<b>Name*</b>	
<b>Post</b>	
<b>Signature</b>	
<b>Date</b>	

\* authorised to sign on behalf of the operator

## Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“Annex I” means Annex I to the Waste Framework Directive.

“Annex II” means Annex II to the Waste Framework Directive.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“Building” means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

“controlled substances” means chlorofluorocarbons, other fully halogenated chlorofluorocarbons, halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide, hydrobromofluorocarbons and hydrochlorofluorocarbons listed in Annex I of Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer, including their isomers, whether alone or in a mixture, and whether they are virgin, recovered, recycled or reclaimed. This definition shall not cover any controlled substance which is in a manufactured product other than a container used for the transportation or storage of that substance, or insignificant quantities of any controlled substance, originating from inadvertent or coincidental production during a manufacturing process, from unreacted feedstock, or from use as a processing agent which is present in chemical substances as trace impurities, or that is emitted during product manufacture or handling.

“D” means a disposal operation provided for in Annex I to the Waste Framework Directive.

“emissions to land” includes emissions to groundwater.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“enclosed building” means a construction designed to provide sheltering cover and minimise emissions of noise, particulate matter, odour and litter. It must be enclosed on all sides and doorways must be as small as practicable.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“Hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“Impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface and should be read in conjunction with the term “sealed drainage system” (below).

‘hardstanding’ means ground surfaced with a durable permeable material. It must be capable of remaining level and rut free and being kept clear of debris. It must be maintained so that it does not cause surface water ponding.

“Hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

“Manual” means sorting and separation of waste by hand, including use of a grab or machine bucket to move the waste.

“Manual” sorting and separation of batteries and WEEE means hand sorting and separation of wastes only.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to the Waste Framework Directive.

“Sealed drainage system” in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump.

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“WEEE” means waste electrical and electronic equipment.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“year” means calendar year ending 31 December.

When the following terms appear in the waste code list in Schedule 2, table S2.1, S2.2, and S2.3, for those tables, they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“PCBs” means

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 % by weight.



“transition metals” means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“stabilisation” means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

“solidification” means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

“partly stabilised wastes” means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

# Schedule 7 – Site plan



END OF PERMIT